

THE TAMIL NADU PUBLIC BUILDINGS (LICENSING) RULES, 1966
THE SCHEDULE - FORM - A

[Form of application under sub-section (1) / sub-section (2) of section 4 of the Tamil Nadu Public Buildings (Licensing) Act, 1965 (Tamil Nadu Act XIII of 1965) referred to in rules 3 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966]

From Name of the owner and address

To The Competent Authority

Sir

1. I intend / to use the building / to continue to use the existing building / to use the existing building not at present used as a public building / which is situated in the site or plot of land Town or Revenue Survey No 9/1, 9/2, 9/4, 9/7, 9/8, 5/1B2, 3/1, 3/2, 5/2A, 5/2B, 6/2B1, 2B2, 9/5, 10/1A1, 2A, 39/1A, 3B, 4A, 4B1, 9/3B, 9/6, 5/1A2, 5/1B1, 6/2A(PT), 5/1B1, 6/2A(PT), 4/2, 4/3B, 3C

Street or Road Cuddalur Road in the
 ward of division -- /village Thenmathur Village & Panchayat
 /Taluk Tiruvannamalai Taluk /
 district Tiruvannamalai District – 606 603.

and specified in the Statement enclosed, as a public building for a period of Three years From 01/08/2025 to 31/07/2028

2. The year of construction and the present approximate cost of construction and the purpose for which it is to be used or is being used as Public building are also furnished in the statement accompanying this application.

3. I enclose a challan for Rs

4. I also enclose a certificate of structural soundness in the prescribed form furnished by the Engineer Thiru D. Govindan
 Registration No D3/30992/2011 (One A) Class of Tiruvannamalai District,

Dated the ...04.08.2025.....

Signature of the Owner of the Building

Enclosures: (1) Statement

(2) Chalan for Rs towards the application fee

Explanation:- Separate application shall be made in respect of each building

STATEMENT ACCOMPANYING FORM A

1	Door Number of Building:	--
2.	Location: Street Number: Ward Number: Name of Place: Corporation/ Municipality /Panchayat Panchayat Union/Township/ Cantonment	"JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK - A) Cuddalur Road, S.F.No:No:9/1,9/2,9/4,9/7,9/8,5/1B2,3/1,3/2, 5/2A,5/2B,6/2B12B2,9/5,10/1A1,2A,39/1A,3B, 4A,4B1,9/3B,9/6,5/1A2,5/1B1,6/2A(PT),5/1B1, 6/2A(PT),4/2,4/3B,3C. Thenmathur Village & Panchayat, Tiruvannamalai Taluk, Tiruvannamalai District - 606 603.
3	Year of Construction	REFER ANNEXURE - I
4.	Approximate cost of construction as per current rates:	REFER ANNEXURE - I
5	Purpose for which the building is being used or proposed to be used	To Run "EDUCATIONAL PURPOSE"
6	Purpose for which the building has hitherto been used	To Run "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK - A)
7.	GPS Co - Ordinates	Latitude : 12.188215 Longitude : 79.078558
8.	Details of Construction of the Building (particulars of the foundation soil, specifications of the various parts under	RCC Framed Structure
	(1) Foundation	R.C.C Columns
	(2) Basement	R.C.C Plinth Beam
	(3) Superstructure	R.C.C Columns Brick Work in C.m & Cement Plastered
	(4) Floor and Roof are to be given	FLOORING : Kotta Stone & Partly Marble Flooring ROOFING : R.C.C Roof Slab
9.	Period for which licence is required	01/08/2025 to 31/07/2028
10.	Number of persons to be accommodated	500 Persons (Five Hundred Persons Only)

Date: 04.08.2025

Certified that no addition or alteration has been made to the existing building or portion of a building for which this application has been made. I undertake to obtain a fresh license in case any addition or alteration is made to the existing building or portion of building. I also undertake to obtain a fresh license if the purpose for which the license was granted for the use of the building or a portion of the building originally is changed or altered subsequently

 04/08/2025
Signature of the Engineer

Signature of the owner of the building

D. GOVINDAN, M.E., M.Sc. (REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I, 2/9
Chartered Engineer & Regd Bank Panel Valuer,
Collaborator Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723. 7708021591

FORM – B

(Form of certificate of structural Soundness under sub-section (4) of section 4 of the Tamil Nadu Public Buildings (Licensing) Act, 1965


(Tamil Nadu Act XIII of 1965) referred in rule 4 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966)

I certify that I have inspected the building mentioned in the statement and furnish below its salient technical features:

(1)	Foundation:-	RCC Framed Structure
(i)	Depth below Ground level	6 G.L with RR Masonary
(ii)	Nature of soil met with at foundation level	Hard Gravel
(iii)	Pressure at foundation	2.80 Kg/Sq cm
(iv)	Probable safe bearing capacity of the strata met with at foundation	4.50 Kg/Sq cm
(2)	Superstructure	
(i)	Maximum stress in the most critical section of masonry and concrete	RCC Framed Structure, RCC Columns, Beams and Brick Masonary Wall
(ii)	Nature of masonry and concrete, and its safe permissible stress.	RCC Roof Slabs

The structural soundness of the building has been verified by me with reference to I.S.I loading standards 875 (Latest version) and other relevant Indian Standards Code of Practice and I declare that the building is structurally sound to be used as a public building for the purpose noted in the statement. A licence may be granted for the period from the 01.08.2025 to 31.07.2028 both the days inclusive.


Date: 04.08.2025


Signature of the Engineer,
Registration No : D3/30992/2011
Class : 1A (One A)
Address : 1168-B, Thendral Nagar,
Vengikkal Post, Tiruvannamalai
Taluk & District- 606 604.

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.LV
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collerctorate Panel Engineer, Wealth Tax Valuer,
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

**STATEMENT TO ACCOMPANY
THE CERTIFICATE OF STRUCTURAL SOUNDNESS**

Location of the building - Door Number, Street and name of the place	Age of Building	The value of the Building at the current rates	Number of storeys	Short description of structures- Steel – RCC framed of load bearing masonry	Purpose for which the building is certified for use	The period for which the building will be structurally sound	Number of persons to be accommodated	Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
"JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – A) Cuddalur Road, S.F.No:No:9/1,9/2,9/4,9/7,9/8,5/1B2,3/1,3/2,5/2A,5/2B,6/2B12B2,9/5,10/1A1,2A,39/1A,3B,4A,4B1,9/3B,9/6,5/1A2,5/1B1,6/2A(PT),5/1B1,6/2A(PT),4/2,4/3B,3C. Thenmathur Village & Panchayat, Tiruvannamalai Taluk, Tiruvannamalai District – 606 603.	REFER ANNEXURE - I	REFER ANNEXURE - I	Ground Floor & First Floor Only	RCC Framed Structure	To Run "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – A)	Three years from (01/08/2025 to 31/07/2028)	500 Persons (Five Hundred Persons Only)	-


Signature of the Engineer,

Class : 1A (one A)
Registration No : D3/30992/2011
Address : 1168-B, Thendral Nagar,
Vengikkal Post,
Tiruvannamalai-606 604.
Cell No: 94432 28723
Office: 76048 01968

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer,
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

FORM – C

(Form of certificate of structural Soundness under sub-section (4) of section 4 of the Tamil Nadu Public Buildings (Licensing) Act, 1965


(Tamil Nadu Act XIII of 1965) referred to in rule 4 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966)

I certify that I have inspected the building mentioned in the statement and furnish below its salient technical features:

(1)	Foundation:-	RCC Framed Structure
(i)	Depth below Ground level	6 G.L with RR Masonary
(ii)	Nature of soil met with at foundation level	Hard Gravel
(iii)	Pressure at foundation	2.80 Kg/Sq cm
(iv)	Probable safe bearing capacity of the strata met with at foundation	4.50 Kg/Sq cm
(2)	Superstructure	
(i)	Maximum stress in the most critical section of masonry and concrete	RCC Framed Structure, RCC Columns, Beams and Brick Masonary Wall
(ii)	Nature of masonry, concrete, and its safe permissible stress.	RCC Roof Slabs

The structural soundness of the building has been verified by me with reference to I.S.I loading standards **785** (Latest version) and other relevant Indian Standards Code of Practice and I declare that the building is structurally sound to be used as a public building for the purpose noted in the statement. A license may be granted for the period from the **01/08/2025** to **31/07/2028** both the days inclusive.

Date: 04.08.2025



Signature of the Engineer,

Class : 1A (one A)

Registration No : D3/30992/2011


D. GOVINDAN, M.E., M.Sc. (REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer,
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
5/9 Mob. No : 9443228723, 7708021591

**STATEMENT TO ACCOMPANY
THE CERTIFICATE OF STRUCTURAL SOUNDNESS**

ANNEXURE – I

Sl.No	Buildings	Year of construction	Area of Building in Sq.ft.	Approx. cost in lakhs.	Age of the Building
	<u>ALL ARE RCC ROOF SLAB</u>				
1.	Ground Floor	2002	27,699.00	168.80	22 Years Old
2.	First Floor	2002	27,699.00	133.46	22 Years Old

Date: 04.08.2025



Signature of the Engineer:


Class : 1A (one A)
Registration No : D3/30992/2011
Address : 1168-B, Thendral Nagar,
Vengikkal Post,
Tiruvannamalai-606 604.
Cell No: 94432 28723
Office : 76048 01968

D. GOVINDAN, M.E., M.Sc.(REV)., M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

FORM – E

(Form of report to be made to the Competent authority by inspecting authorities or officers appointed under other Acts under section 28 of the Tamil Nadu Public Buildings (Licensing) Act, 1965 (Tamil Nadu Act XIII of 1965) (Tamil Nadu Act XIII of 1965) referred to in rule 7 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966]

1.	Name and designation of inspecting authority or officer appointed or having jurisdiction under any other Act or law	: Er.D.Govindan,B.E.,M.E.,M.Sc., M.I.E.,F.I.V., Collectorate Panel Engineer (D3/30992/2011) Class :1A (One A) Of Tiruvannamalai District Chartered Civil Engineer (M/131928-5) Govt. Approved Valuer (S.L:823/Category- I/2013-2014)
2.	Location of the building inspected (Door number, Street number, Name of place i.e., Municipal Corporation / Municipality / Panchayat or Panchayat Union / Township / Cantonment)	: "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – A) Cuddalur Road, S.F.No:No:9/1,9/2,9/4,9/7,9/8,5/1B2,3/1,3/2, 5/2A,5/2B,6/2B12B2,9/5,10/1A1,2A,39/1A,3B, 4A,4B1,9/3B,9/6,5/1A2,5/1B1,6/2A(PT),5/1B1, 6/2A(PT),4/2,4/3B,3C. Thenmathur Village & Panchayat, Tiruvannamalai Taluk, Tiruvannamalai District – 606 603.
3.	Date of inspection	: 02.08.2025
4.	Purpose for which the building is being used or proposed to be used	: To Run "EDUCATIONAL INSTITUTION"
5.	Purpose for which the building has hitherto been used	: To Run "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – A)
6.	The period for which the building will be structurally sound	: 01/08/2025 to 31/07/2028
7.	Number of persons to be accommodated	: 500 Persons (Five Hundred Persons Only)
8.	Nature of defects notice	: -
9.	Suggestion for rectifying defects	: -
10.	If in a dangerous condition, immediate steps recommended to be taken	: -


Signature of inspecting authority

Or officer appointed or having jurisdiction

D. GOVINDAN, M.E.,M.Sc.(REV),M.I.E.,F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
8/B Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

**STATEMENT TO ACCOMPANY
THE CERTIFICATE OF STRUCTURAL SOUNDNESS**

ANNEXURE – I


Sl. No	NAME OF THE BUILDING	NUMBER OF		LIBRARY/ MULTI PURPOSE HALL	OFFICE/ PRINCIPAL ROOM	STAFF ROOM/ STORE ROOM
		CLASS ROOMS	LAB			
	<u>ALL ARE RCC ROOF SLAB</u>					
1.	Ground Floor	05	03	-	04	05
2.	First Floor	06	02	02	-	02
	Total	11	05	02	04	07

Date: 04.08.2025

Signature of the Engineer:

Class : 1A (one A)
Registration No : D3/30992/2011
Address : 1168-B, Thendral Nagar,
Vengikkal Post,
Tiruvannamalai-606 604.
Cell No: 94432 28723
Office : 76048 01968

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591



Er.D.GOVINDAN, B.E., M.E.,(Struct),M.Sc.,(REV), M.I.E., F.I.V.,

1168-B, Thendral Nagar Main Road,
Vengikkal, Tiruvannamalai-606 604.

E-Mail – erdgovindan@gmail.com

- ❖ Collectorate Panel Engineer (D3/30992/2011)
- ❖ Chartered Civil Engineer (M/131928-5)
- ❖ Income & Wealth tax Valuer (SL.No:823/Category-I/2013-2014)
- ❖ Bank Panel Valuer


STRUCTURAL SOUNDNESS CERTIFICATE RELATING TO SCHOOL

Date: 04.08.2025

DECLARATION

I, **D. GOVINDAN, B.E., M.E., M.Sc., M.I.E., F.I.V.**, Son of Thiru. R.Dhandapani residing at No. 1168 B, Thendral Nagar Main Road, Vengikkal Post, Tiruvannamalai Taluk and District, do hereby declare that I possess the qualification and experience specified in the structural soundness of the building covered by the certificate.

I am an **APPROVED & REGISTERED ENGINEER** by the Collector of **TIRUVANNAMALAI DISTRICT**, under “Tamil Nadu Public Building (Licensing) Act & Rules 1966”, to issue the structural stability certificates to public like the “International School” under reference.


SIGNATURE OF THE ENGINEER

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.I.V.
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

1. Name in block letters
2. Engineering qualification
3. No. of years of Experience

: **D. GOVINDAN,**
: **B.E., (Civil) M.E., (Struct), M.SC., (REV),**
: **M.I.E., F.I.V.,**
: 30 Years experience as a Civil Engineer and
Approved Engineer by the Board of Engineers
By Govt. of Tamil Nadu Panel Engineer with
The Collector of Tiruvannamalai District.

PLACE : Tiruvannamalai.

DATE : 04.08.2025.

PROCEEDINGS OF THE COLLECTOR OF TIRUVANNAMALAI DISTRICT
PRESENT : Thiru. Anshul Mishra, I.A.S.,

Rc No.D3/30992/2011

Date: 07.12.2011

Sub: Tamil Nadu Public Licensing Act 1965 Inclusion of the name of Thiru. D. Govindan in the panel of private practicing Engineer under class IA (one A) / category in Tiruvannamalai District orders issued - Regarding.

Ref: 1 Thiru. G. Govindan Engineer G.R. Associates
Tiruvannamalai petition Dated 16.07.2010.

2 This office Lr.No.RC D3/ 30992/2010. Dated 22.10.2010 addressed to the Engineer - in - Chief- Chennai -5.

3. From the Engineer in Chief Engineer (General) Public works Department Lr. No. AEE/T1/AEIII/58052/2009. Dated;10.11.2011

ORDER:

1. In the reference 1st cited. Thiru. D Govindan, S/o R. Dhandapani, Tiruvannamalai has submitted a petition requesting to include his name in the panel of private Engineer under class IA (one A) Category in Tiruvannamalai District

2) In the reference 2nd cited A proposal has been sent to the Engineer in Chief Engineer (General) Public works Department, Chennai recommending to include his name in the panel of private Engineers under class IA (one A) category to Tiruvannamalai district


3) In the reference 3rd cited the Engineer in chief Chennai has stated that the Board of Engineer meeting held on 28 10 2011 has approved and recommended the name of Thiru. D. Govindan S/o R. Dhandapani, Tiruvannamalai for inclusion registering in the panel of private Engineer under class IA (The Building works cost more than Rs. 50 00 Lakhs) in Tiruvannamalai District.

4) Based on the recommendation of the Engineer in Chief, Engineer, (General) Public works Department, Chennai, the name of Thiru. D. Govindan S/o R. Dhandapani is ordered to be included in the panel of private practicing Engineer under class IA (The Building works cost more than Rs 50.00 Lakhs) in Tiruvannamalai.

5) All Revenue Divisional Officers and Tahsildars of Tiruvannamalai District are instructed to accept the public Building soundness certificates issued by Thiru. D. Govindan subject to conditions.

Sd/-Anshul Mishra
District Collector. -
Tiruvannamalai

// By Order //


for Collector, 12/11/12
Tiruvannamalai.

To.

Thiru D. Govindan,
S/o R. Dhandapani,
No. 1168 -B, Thendral Nagar, Main Road,
Vengikal, Tiruvannamalai - 605 604


12-12-12

Copy to. All Revenue Divisional Officer's all Tahsildars of Tiruvannamalai District

Copy to stock file.

THE TAMIL NADU PUBLIC BUILDINGS (LICENSING) RULES, 1966
THE SCHEDULE - FORM - A

[Form of application under sub-section (1) / sub-section (2) of section 4 of the Tamil Nadu Public Buildings (Licensing) Act, 1965 (Tamil Nadu Act XIII of 1965) referred to in rules 3 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966]

From *Name of the owner and address*To *The Competent Authority*

Sir

1. I intend / to use the building / to continue to use the existing building / to use the existing building not at present used as a public building / which is situated in the site or plot of land Town or Revenue Survey No 9/1, 9/2, 9/4, 9/7, 9/8, 5/1B2, 3/1, 3/2, 5/2A, 5/2B, 6/2B1, 2B2, 9/5, 10/1A1, 2A, 39/1A, 3B, 4A, 4B1, 9/3B, 9/6, 5/1A2, 5/1B1, 6/2A(PT), 5/1B1, 6/2A(PT), 4/2, 4/3B, 3C.

Street or Road Cuddalore Road in the
 ward of division — /village Thenmathur Village & Panchayat
 /Taluk Tiruvannamalai Taluk /
 District Tiruvannamalai District – 606 603.

and specified in the Statement enclosed, as a public building for a period of Three years From 01/08/2025 to 31/07/2028

2. The year of construction and the present approximate cost of construction and the purpose for which it is to be used or is being used as Public building are also furnished in the statement accompanying this application.

3. I enclose a challan for Rs

4. I also enclose a certificate of structural soundness in the prescribed form furnished by the Engineer Thiru D. Govindan
 Registration No D3/30992/2011 (One A) Class of Tiruvannamalai District,

Dated :...04.08.2025.....

Signature of the Owner of the Building

Enclosures: (1) Statement

(2) Chalan for Rs towards the application fee


Explanation:- Separate application shall be made in respect of each building

STATEMENT ACCOMPANYING FORM A

1	Door Number of Building:	--
2.	Location: Street Number: Ward Number: Name of Place: Corporation/ Municipality /Panchayat Panchayat Union/Township/ Cantonment	"JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – B) Cuddalore Road, S.F.No:No:9/1,9/2,9/4,9/7,9/8,5/1B2,3/1,3/2, 5/2A,5/2B,6/2B12B2,9/5,10/1A1,2A,39/1A,3B, 4A,4B1,9/3B,9/6,5/1A2,5/1B1,6/2A(PT),5/1B1, 6/2A(PT),4/2,4/3B,3C. Thenmathur Village & Panchayat, Tiruvannamalai Taluk, Tiruvannamalai District – 606 603.
3	Year of Construction	REFER ANNEXURE - I
4.	Approximate cost of construction as per current rates:	REFER ANNEXURE - I
5	Purpose for which the building is being used or proposed to be used	To Run "EDUCATIONAL PURPOSE"
6	Purpose for which the building has hitherto been used	To Run "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – B)
7.	GPS Co - Ordinates	Latitude : 12.188092 Longitude : 79.078033
8.	Details of Construction of the Building (particulars of the foundation soil, specifications of the various parts under	RCC Framed Structure
	(1) Foundation	R.C.C Columns
	(2) Basement	R.C.C Plinth Beam
	(3) Superstructure	R.C.C Columns Brick Work in C.m & Cement Plastered
	(4) Floor and Roof are to be given	FLOORING : Bethem Cherla Stone ROOFING : R.C.C Roof Slab
9.	Period for which licence is required	01/08/2025 to 31/07/2028
10.	Number of persons to be accommodated	600 Persons (Six Hundred Persons Only)

Date: 04.08.2025

Certified that no addition or alteration has been made to the existing building or portion of a building for which this application has been made. I undertake to obtain a fresh license in case any addition or alteration is made to the existing building or portion of building. I also undertake to obtain a fresh license if the purpose for which the license was granted for the use of the building or a portion of the building originally is changed or altered subsequently

 04/08/2025

Signature of the Engineer

Signature of the owner of the building

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer,
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233278
Mob. No : 9443228723. 7708021504

FORM – B

(Form of certificate of structural Soundness under sub-section (4) of section 4 of the Tamil Nadu Public Buildings (Licensing) Act, 1965


(Tamil Nadu Act XIII of 1965) referred in rule 4 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966)

I certify that I have inspected the building mentioned in the statement and furnish below its salient technical features:

(1)	Foundation:-	RCC Framed Structure
	(i)	Depth below Ground level
	(ii)	Nature of soil met with at foundation level
	(iii)	Pressure at foundation
	(iv)	Probable safe bearing capacity of the strata met with at foundation
(2)	Superstructure	
	(i)	Maximum stress in the most critical section of masonry and concrete
	(ii)	Nature of masonry and concrete, and its safe permissible stress.

The structural soundness of the building has been verified by me with reference to I.S.I loading standards 875 (Latest version) and other relevant Indian Standards Code of Practice and I declare that the building is structurally sound to be used as a public building for the purpose noted in the statement. A licence may be granted for the period from the 01/08/2025 to 31/07/2028 both the days inclusive.

Date: 04.08.2025


Signature of the Engineer,
Registration No : D3/30992/2011
Class : 1A (One A)
Address : 1168-B, Thendral Nagar,
Vengikkal Post, Tiruvannamalai
Taluk & District- 606 604.

D. GOVINDAN, M.E., M.Sc. (REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collerctorate Panel Engineer, Wealth Tax Valuer,
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

**STATEMENT TO ACCOMPANY
THE CERTIFICATE OF STRUCTURAL SOUNDNESS**

Location of the building - Door Number, Street and name of the place	Age of Building	The value of the Building at the current rates	Number of storeys	Short description of structures— Steel— RCC framed of load bearing masonry	Purpose for which the building is certified for use	The period for which the building will be structurally sound	Number of persons to be accommodated	Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
"JEEVA VELU INTERNATIONAL SCHOOL"(BLOCK – B) Cuddalore Road, S.F.No:No:9/1,9/2,9/4,9/7,9/8,5/1B2,3/1,3/2,5/2A,5/2B,6/2B12B2,9/5,10/1A1,2A,39/1A,3B,4A,4B1,9/3B,9/6,5/1A2,5/1B1,6/2A(PT),5/1B1,6/2A(PT),4/2,4/3B,3C. Thenmathur Village & Panchayat, Tiruvannamalai Taluk, Tiruvannamalai District – 606 603.	REFER ANNEXURE - I	REFER ANNEXURE - I	Ground Floor & First Floor Only	RCC Framed Structure	To Run "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – B)	Three years from (01/08/2025 to 31/07/2028)	600 Persons (Six Hundred Persons Only)	-

 04/08/2025

Signature of the Engineer,

Class

: 1A (one A)

Registration No

: D3/30992/2011

Address

: 1168-B, Thendral Nagar,
Vengikkal Post,
Tiruvannamalai-606 604.
Cell No: 94432 28723
Office : 76048 01968

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.LV
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

FORM – C

(Form of certificate of structural Soundness under sub-section (4) of section 4 of the Tamil Nadu Public Buildings (Licensing) Act, 1965


(Tamil Nadu Act XIII of 1965) referred to in rule 4 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966)

I certify that I have inspected the building mentioned in the statement and furnish below its salient technical features:

(1)	Foundation:-	RCC Framed Structure
(i)	Depth below Ground level	6 G.L with RR Masonary
(ii)	Nature of soil met with at foundation level	Hard Gravel
(iii)	Pressure at foundation	2.80 Kg/Sq cm
(iv)	Probable safe bearing capacity of the strata met with at foundation	4.50 Kg/Sq cm
(2)	Superstructure	
(i)	Maximum stress in the most critical section of masonry and concrete	RCC Framed Structure, RCC Columns, Beams and Brick Masonary Wall
(ii)	Nature of masonry, concrete, and its safe permissible stress.	RCC Roof Slabs

The structural soundness of the building has been verified by me with reference to I.S.I loading standards 785 (Latest version) and other relevant Indian Standards Code of Practice and I declare that the building is structurally sound to be used as a public building for the purpose noted in the statement. A license may be granted for the period from the 01/08/2025 to 31/07/2028 both the days inclusive.

Date: 04.08.2025



Signature of the Engineer,
Class : 1A (one A)
Registration No : D3/30992/2011

D. GOVINDAN, M.E., M.Sc.(REV.), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

STATEMENT TO ACCOMPANY
THE CERTIFICATE OF STRUCTURAL SOUNDNESS

ANNEXURE - I

SL.No	Buildings	Year of construction	Area of Building in Sq.ft.	Approx. cost in lakhs.	Age of the Building
	<u>ALL ARE RCC ROOF SLAB</u>				
1.	Ground Floor	2000	13,606.00	124.29	24 Years Old
2.	First Floor	2000	13,606.00	116.52	24 Years Old

Date: 04.08.2025

D. Govindan, 04/08/2025

Signature of the Engineer:

Class : 1A (one A)

Registration No : DS/30992/2011

Address : 1165-B, Thendral Nagar,
Vengikkal Post,

Tiruvannamalai-606 604.

Cell No: 94432 28723

Office : 76048 01968


D. GOVINDAN, M.E., M.Sc.(REV), M.L.E., F.L.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1165-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604, Ph : 04175-233275
Mob. No : 9443228723, 7706021591

**STATEMENT TO ACCOMPANY
THE CERTIFICATE OF STRUCTURAL SOUNDNESS**

ANNEXURE – I

Sl. No	NAME OF THE BUILDING	NUMBER OF		LIBRARY/ MULTI PURPOSE HALL	OFFICE/ PRINCIPAL ROOM	STAFF ROOM/ STORE ROOM
		CLASS ROOMS	LAB			
	<u>ALL ARE RCC ROOF SLAB</u>					
1.	Ground Floor	10	-	-	-	03
2.	First Floor	10	-	-	-	03
	Total	20	-	-	-	06

Date: 04.08.2025



 Signature of the Engineer,
 Class : 1A (one A)
 Registration No : D3/30992/2011
 Address : 1168-B, Thendral Nagar,
 Vengikkal Post,
 Tiruvannamalai-606 604.
 Cell No: 94432 28723
 Office : 76048 01968

D. GOVINDAN, M.E., M.Sc. (REV), M.I.E., F.I.V
 Regd Engineer Grade I, Regd Quality Auditor,
 Regd Structural Engineer Grade I,
 Chartered Engineer & Regd Bank Panel Valuer,
 Colletcorate Panel Engineer, Wealth Tax Valuer
 1168-B, Thendral Nagar Main Road, Vengikkal,
 Tiruvannamalai - 606 604. Ph 04175-233275
 Mob. No : 9443228723, 7708021591

FORM – E

(Form of report to be made to the Competent authority by inspecting authorities or officers appointed under other Acts under section 28 of the Tamil Nadu Public Buildings (Licensing) Act, 1965 (Tamil Nadu Act XIII of 1965) (Tamil Nadu Act XIII of 1965) referred to in rule 7 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966]

1	Name and designation of inspecting authority or officer appointed or having jurisdiction under any other Act or law	: Er.D.Govindan,B.E.,M.E.,M.Sc., M.I.E.,F.I.V., Collectorate Panel Engineer (D3/30992/2011) Class :1A (One A) Of Tiruvannamalai District Chartered Civil Engineer (M/131928-5) Govt. Approved Valuer (S.L:823/Category-I/2013-2014)
2	Location of the building inspected (Door number, Street number, Name of place i.e., Municipal Corporation / Municipality / Panchayat or Panchayat Union / Township / Cantonment)	: "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – B) Cuddalore Road, S.F.No:No:9/1,9/2,9/4,9/7,9/8,5/1B2,3/1,3/2, 5/2A,5/2B,6/2B12B2,9/5,10/1A1,2A,39/1A,3B, 4A,4B1,9/3B,9/6,5/1A2,5/1B1,6/2A(PT),5/1B1, 6/2A(PT),4/2,4/3B,3C. Thenmathur Village & Panchayat, Tiruvannamalai Taluk, Tiruvannamalai District – 606 603.
3	Date of inspection	: 02.08.2025
4	Purpose for which the building is being used or proposed to be used	: To Run "EDUCATIONAL INSTITUTION"
5	Purpose for which the building has hitherto been used	: To Run "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – B)
6	The period for which the building will be structurally sound	: 01/08/2025 to 31/07/2028
7	Number of persons to be accommodated	: 600 Persons (Six Hundred Persons Only)
8	Nature of defects notice	: -
9	Suggestion for rectifying defects	: -
10	If in a dangerous condition, immediate steps recommended to be taken	: -



Signature of inspecting authority
Or officer appointed or having jurisdiction

D. GOVINDAN, M.E.,M.Sc.(REV),M.I.E.,F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer,
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591



Er.D.GOVINDAN, B.E., M.E., (Struct), M.Sc., (REV), M.I.E., F.I.V.,

1168-B, Thendral Nagar Main Road,
Vengikkal, Tiruvannamalai-606 604.

E-Mail – erdgovindan@gmail.com

- ❖ Collectorate Panel Engineer (D3/30992/2011)
- ❖ Chartered Civil Engineer (M/131928-5)
- ❖ Income & Wealth tax Valuer (SL.No:823/Category-I/2013-2014)
- ❖ Bank Panel Valuer


STRUCTURAL SOUNDNESS CERTIFICATE RELATING TO INTERNATIONAL SCHOOL

Date: 04.08.2025

DECLARATION

I, **D. GOVINDAN, B.E., M.E., M.Sc., M.I.E., F.I.V.,** Son of Thiru. R.Dhandapani residing at No. 1168 B, Thendral Nagar Main Road, Vengikkal Post, Tiruvannamalai Taluk and District, do hereby declare that I possess the qualification and experience specified in the structural soundness of the building covered by the certificate.

I am an **APPROVED & REGISTERED ENGINEER** by the Collector of **TIRUVANNAMALAI DISTRICT**, under “Tamil Nadu Public Building (Licensing) Act & Rules 1966”, to issue the structural stability certificates to public like the “International School” under reference.



SIGNATURE OF THE ENGINEER

D. GOVINDAN, M.E., M.Sc. (REV), M.I.E., F.I.V.
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

1. Name in block letters
2. Engineering qualification
3. No. of years of Experience

: **D. GOVINDAN,**
: **B.E., (Civil) M.E., (Struct), M.Sc., (REV),**
: **M.I.E., F.I.V.,**
: 30 Years experience as a Civil Engineer and
Approved Engineer by the Board of Engineers
By Govt. of Tamil Nadu Panel Engineer with
the Collector of Tiruvannamalai District.

PLACE : Tiruvannamalai.

DATE : 04.08.2025.

PROCEEDINGS OF THE COLLECTOR OF TIRUVANNAMALAI DISTRICT
PRESENT : Thiru. Anshul Mishra, I.A.S.,

Rc No.D3/J0992/2011

Date: 07.12.2011

Sub: Tamil Nadu Public Licensing Act 1965 Inclusion of the name of Thiru. D. Govindan in the panel of private practicing Engineer under class IA (one A) / category in Tiruvannamalai District orders issued - Regarding.

Ref: 1 Thiru. G. Govindan Engineer G R. Associates
Tiruvannamalai petition Dated 16.07.2010

2 This office Lr.No.RC D3/ 30992/2010. Dated 22.10.2010 addressed to the Engineer - in - Chief- Chennai -5.

3. From the Engineer in Chief Engineer (General) Public works Department Lr. No. AEE/T1/AEIII/58052/2009. Dated;10.11.2011

ORDER:

1. In the reference 1st cited. Thiru. D. Govindan, S/o R. Dhandapani, Tiruvannamalai has submitted a petition requesting to include his name in the panel of private Engineer under class IA (one A) Category in Tiruvannamalai District

2) In the reference 2nd cited A proposal has been sent to the Engineer in Chief Engineer (General) Public works Department, Chennai recommending to include his name in the panel of private Engineers under class IA (one A) category to Tiruvannamalai district

3) In the reference 3rd cited the Engineer in chief Chennai has stated that the Board of Engineer meeting held on 28 10 2011 has approved and recommended the name of Thiru. D. Govindan S/o R. Dhandapani, Tiruvannamalai for inclusion registering in the panel of private Engineer under class IA (The Building works cost more than Rs 50 00 Lakhs) in Tiruvannamalai District.

THE TAMIL NADU PUBLIC BUILDINGS (LICENSING) RULES, 1966
THE SCHEDULE - FORM - A

[Form of application under sub-section (1) / sub-section (2) of section 4 of the Tamil Nadu Public Buildings (Licensing) Act, 1965 (Tamil Nadu Act XIII of 1965) referred to in rules 3 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966]

From *Name of the owner and address*To *The Competent Authority*

Sir

1. I intend / to use the building / to continue to use the existing building / to use the existing building not at present used as a public building / which is situated in the site or plot of land Town or Revenue Survey No 9/1, 9/2, 9/4, 9/7, 9/8, 5/1B2, 3/1, 3/2, 5/2A, 5/2B, 6/2B1, 2B2, 9/5, 10/1A1, 2A, 39/1A, 3B, 4A, 4B1, 9/3B, 9/6, 5/1A2, 5/1B1, 6/2A(PT), 5/1B1, 6/2A(PT), 4/2, 4/3B, 3C,

Street or Road Cuddalur Road in the
ward of division -- /village Thenmathur Village & Panchayat
/Taluk Tiruvannamalai Taluk /
district Tiruvannamalai District – 606 603.

and specified in the Statement enclosed, as a public building for a period of Three years. From 01/08/2025 to 31/07/2028

2. The year of construction and the present approximate cost of construction and the purpose for which it is to be used or is being used as Public building are also furnished in the statement accompanying this application.

3. I enclose a challan for Rs

4. I also enclose a certificate of structural soundness in the prescribed form furnished by the Engineer Thiru D. Govindan

Registration No D3/30992/2011 (One A) Class of Tiruvannamalai District,

Dated the ...04.08.2025.....

Signature of the Owner of the Building

Enclosures: (1) Statement

(2) Chalan for Rs towards the application fee


Explanation:- Separate application shall be made in respect of each building

STATEMENT ACCOMPANYING FORM A

1.	Door Number of Building:	--
2.	Location: Street Number: Ward Number: Name of Place: Corporation/ Municipality /Panchayat Panchayat Union/Township/ Cantonment	"JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK - C) Cuddalur Road, S.F.No:No:9/1,9/2,9/4,9/7,9/8,5/1B2,3/1,3/2, 5/2A,5/2B,6/2B12B2,9/5,10/1A1,2A,39/1A,3B, 4A,4B1,9/3B,9/6,5/1A2,5/1B1,6/2A(PT),5/1B1, 6/2A(PT),4/2,4/3B,3C. Tiruvannamalai Taluk, Tiruvannamalai District - 606 603.
3.	Year of Construction	REFER ANNEXURE - I
4.	Approximate cost of construction as per current rates:	REFER ANNEXURE - I
5.	Purpose for which the building is being used or proposed to be used	To Run "EDUCATIONAL PURPOSE"
6.	Purpose for which the building has hitherto been used	To Run "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK - C)
7.	GPS Co - Ordinates	Latitude : 12.188215 Longitude : 79.078558
8.	Details of Construction of the Building (particulars of the foundation soil, specifications of the various parts under	RCC Framed Structure
	(1) Foundation	R.C.C Columns
	(2) Basement	R.C.C Plinth Beam
	(3) Superstructure	R.C.C Columns Brick Work in C.m & Cement Plastered
	(4) Floor and Roof are to be given	FLOORING : Marble Flooring ROOFING : R.C.C Roof Slab
9.	Period for which licence is required	01/08/2025 to 31/07/2028
10.	Number of persons to be accommodated	500 Persons (Five Hundred Persons Only)

Date: 04.08.2025

Certified that no addition or alteration has been made to the existing building or portion of a building for which this application has been made. I undertake to obtain a fresh license in case any addition or alteration is made to the existing building or portion of building. I also undertake to obtain a fresh license if the purpose for which the license was granted for the use of the building or a portion of the building originally is changed or altered subsequently

 04/08/2025

Signature of the Engineer

Signature of the owner of the building

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

FORM – B

(Form of certificate of structural Soundness under sub-section (4) of section 4 of the Tamil Nadu Public Buildings (Licensing) Act, 1965

(Tamil Nadu Act XIII of 1965) referred in rule 4 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966)

I certify that I have inspected the building mentioned in the statement and furnish below its salient technical features:

(1)	Foundation:-	RCC Framed Structure
	(i) Depth below Ground level	6 G.L with RR Masonary
	(ii) Nature of soil met with at foundation level	Hard Gravel
	(iii) Pressure at foundation	2.80 Kg/Sq cm
	(iv) Probable safe bearing capacity of the strata met with at foundation	4.50 Kg/Sq cm
(2)	Superstructure	
	(i) Maximum stress in the most critical section of masonry and concrete	RCC Framed Structure, RCC Columns, Beams and Brick Masonary Wall
	(ii) Nature of masonry and concrete, and its safe permissible stress.	RCC Roof Slabs

The structural soundness of the building has been verified by me with reference to I.S.I loading standards **875** (Latest version) and other relevant Indian Standards Code of Practice and I declare that the building is structurally sound to be used as a public building for the purpose noted in the statement. A licence may be granted for the period from the **01.08.2025** to **31.07.2028** both the days inclusive.

Date: 04.08.2025

Signature of the Engineer,

Registration No : D3/30992/2011


Class : 1A (One A)

Address : 1168-B, Thendral Nagar,
Vengikkal Post, Tiruvannamalai
Taluk & District- 606 604

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collerctorate Panel Engineer, Wealth Tax Valuer,
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

**STATEMENT TO ACCOMPANY
THE CERTIFICATE OF STRUCTURAL SOUNDNESS**

Location of the building - Door Number, Street and name of the place	Age of Building	The value of the Building at the current rates	Number of storeys	Short description of structures- Steel – RCC framed of load bearing masonry	Purpose for which the building is certified for use	The period for which the building will be structurally sound	Number of persons to be accommodated	Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
"JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – C) Cuddalur Road, S.F.No:No:9/1,9/2,9/4, 9/7,9/8,5/1B2,3/1,3/2, 5/2A,5/2B,6/2B12B2,9/5, 10/1A1,2A,39/1A,3B, 4A,4B1,9/3B,9/6,5/1A2,5 /1B1,6/2A(PT),5/1B1, 6/2A(PT),4/2,4/3B,3C. Thenmathur Village & Panchayat, Tiruvannamalai Taluk, Tiruvannamalai District – 606 603.	REFER ANNEXURE - I	REFER ANNEXURE - I	Ground Floor & First Floor Only	RCC Framed Structure	To Run "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – C)	Three years from (01/08/2025 to 31/07/2028)	500 Persons (Five Hundred Persons Only)	-


Signature of the Engineer,
Class : 1A (one A)
Registration No : D3/30992/2011
Address : 1168-B, Thendral Nagar,
Vengikkal Post,
Tiruvannamalai-606 604
Cell No: 94432 28723
Office: 76048 01968

D. GOVINDAN, M.E.,M.Sc.(REV).,M.I.E.,F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collerctorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

FORM – C

(Form of certificate of structural Soundness under sub-section (4) of section 4 of the Tamil Nadu Public Buildings (Licensing) Act, 1965


(Tamil Nadu Act XIII of 1965) referred to in rule 4 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966)

I certify that I have inspected the building mentioned in the statement and furnish below its salient technical features:

(1)	Foundation:-	RCC Framed Structure
(i)	Depth below Ground level	6 G.L with RR Masonary
(ii)	Nature of soil met with at foundation level	Hard Gravel
(iii)	Pressure at foundation	2.80 Kg/Sq cm
(iv)	Probable safe bearing capacity of the strata met with at foundation	4.50 Kg/Sq cm
(2)	Superstructure	
(i)	Maximum stress in the most critical section of masonry and concrete	RCC Framed Structure, RCC Columns, Beams and Brick Masonary Wall
(ii)	Nature of masonry, concrete, and its safe permissible stress.	RCC Roof Slabs

The structural soundness of the building has been verified by me with reference to I.S.I loading standards **785** (Latest version) and other relevant Indian Standards Code of Practice and I declare that the building is structurally sound to be used as a public building for the purpose noted in the statement. A license may be granted for the period from the **01/08/2025** to **31/07/2028** both the days inclusive.

Date: 04.08.2025


Signature of the Engineer,
Class : 1A (one A)
Registration No : D3/30992/2011


D. GOVINDAN, M.E., M.Sc. (REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collerctorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

**STATEMENT TO ACCOMPANY
THE CERTIFICATE OF STRUCTURAL SOUNDNESS**

ANNEXURE – I

Sl.No	Buildings	Year of construction	Area of Building in Sq.ft.	Approx. cost in lakhs.	Age of the Building
	<u>ALL ARE RCC ROOF SLAB</u>				
1.	Ground Floor	2007	17,850.00	152.61	17 Years Old
2.	First Floor	2007	17,850.00	169.57	17 Years Old

Date: 04.08.2025


Signature of the Engineer:

Class : 1A (one A)
Registration No : D3/30992/2011
Address : 1168-B, Thendral Nagar,
Vengikkal Post,
Tiruvannamalai-606 604.
Cell No: 94432 28723
Office : 76048 01968

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.I.V.,
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer,
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

**STATEMENT TO ACCOMPANY
THE CERTIFICATE OF STRUCTURAL SOUNDNESS**

ANNEXURE – I

Sl. No	NAME OF THE BUILDING	NUMBER OF		LIBRARY/ MULTI PURPOSE HALL	OFFICE/ PRINCIPAL ROOM	STAFF ROOM/ STORE ROOM
		CLASS ROOMS	LAB			
	<u>ALL ARE RCC ROOF SLAB</u>					
1.	Ground Floor	10	-	-	-	03
2.	First Floor	07	-	01	-	02
	Total	17	-	01	-	05

Date: 04.08.2025

Signature of the Engineer:

Class

: 1A (one A)

Registration No

: D3/30992/2011

Address

: 1168-B, Thendral Nagar,
Vengikkal Post,
Tiruvannamalai-606 604.
Cell No: 94432 28723
Office : 76048 01968

D. GOVINDAN, M.E., M.Sc.(REV), M.L.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

FORM – E


(Form of report to be made to the Competent authority by inspecting authorities or officers appointed under other Acts under section 28 of the Tamil Nadu Public Buildings (Licensing) Act, 1965 (Tamil Nadu Act XIII of 1965) (Tamil Nadu Act XIII of 1965) referred to in rule 7 of the Tamil Nadu Public Buildings (Licensing) Rules, 1966]

1.	Name and designation of inspecting authority or officer appointed or having jurisdiction under any other Act or law	: Er.D.Govindan,B.E.,M.E.,M.Sc., M.I.E.,F.I.V., Collectorate Panel Engineer (D3/30992/2011) Class :1A (One A) Of Tiruvannamalai District Chartered Civil Engineer (M/131928-5) Govt. Approved Valuer (S.L:823/Category-I/2013-2014)
2.	Location of the building inspected (Door number, Street number, Name of place i.e., Municipal Corporation / Municipality / Panchayat or Panchayat Union / Township / Cantonment)	: "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – C) Cuddalur Road, S.F.No:No:9/1,9/2,9/4,9/7,9/8,5/1B2,3/1,3/2, 5/2A,5/2B,6/2B12B2,9/5,10/1A1,2A,39/1A,3B, 4A,4B1,9/3B,9/6,5/1A2,5/1B1,6/2A(PT),5/1B1, 6/2A(PT),4/2,4/3B,3C. Thenmathur Village & Panchayat, Tiruvannamalai Taluk, Tiruvannamalai District – 606 603.
3.	Date of inspection	: 02.08.2025
4.	Purpose for which the building is being used or proposed to be used	: To Run "EDUCATIONAL INSTITUTION"
5.	Purpose for which the building has hitherto been used	: To Run "JEEVA VELU INTERNATIONAL SCHOOL" (BLOCK – C)
6.	The period for which the building will be structurally sound	: 01/08/2025 to 31/07/2028
7.	Number of persons to be accommodated	: 500 Persons (Five Hundred Persons Only)
8.	Nature of defects notice	: -
9.	Suggestion for rectifying defects	: -
10.	If in a dangerous condition, immediate steps recommended to be taken	: -

 04/08/2025
Signature of inspecting authority

Or officer appointed or having jurisdiction

D. GOVINDAN, M.E.,M.Sc.(REV),M.I.E.,F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
8/9 1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591



Er.D.GOVINDAN, B.E., M.E.,(Struct),M.Sc.,(REV), M.I.E., F.I.V.,

1168-B, Thendral Nagar Main Road,

Vengikkal, Tiruvannamalai-606 604.

E-Mail – erdgovindan@gmail.com

- ❖ Collectorate Panel Engineer (D3/30992/2011)
- ❖ Chartered Civil Engineer (M/131928-5)
- ❖ Income & Wealth tax Valuer (SL.No:823/Category-I/2013-2014)
- ❖ Bank Panel Valuer


STRUCTURAL SOUNDNESS CERTIFICATE RELATING TO SCHOOL

Date: 04.08.2025

DECLARATION

I, **D. GOVINDAN, B.E., M.E., M.Sc., M.I.E., F.I.V.**, Son of Thiru. R.Dhandapani residing at No. 1168 B, Thendral Nagar Main Road, Vengikkal Post, Tiruvannamalai Taluk and District, do hereby declare that I possess the qualification and experience specified in the structural soundness of the building covered by the certificate.

I am an **APPROVED & REGISTERED ENGINEER** by the Collector of **TIRUVANNAMALAI DISTRICT**, under “Tamil Nadu Public Building (Licensing) Act & Rules 1966”, to issue the structural stability certificates to public like the “International School” under reference.


SIGNATURE OF THE ENGINEER

D. GOVINDAN, M.E., M.Sc.(REV), M.I.E., F.I.V
Regd Engineer Grade I, Regd Quality Auditor,
Regd Structural Engineer Grade I,
Chartered Engineer & Regd Bank Panel Valuer,
Collectorate Panel Engineer, Wealth Tax Valuer
1168-B, Thendral Nagar Main Road, Vengikkal,
Tiruvannamalai - 606 604. Ph 04175-233275
Mob. No : 9443228723, 7708021591

- | | |
|-------------------------------|---|
| 1. Name in block letters | : D. GOVINDAN, |
| 2. Engineering qualification | : B.E., (Civil) M.E., (Struct), M.SC., (REV),
M.I.E., F.I.V., |
| 3. No. of years of Experience | : 30 Years experience as a Civil Engineer and
Approved Engineer by the Board of Engineers
By Govt. of Tamil Nadu Panel Engineer with
The Collector of Tiruvannamalai District. |

PLACE : Tiruvannamalai.

DATE : 04.08.2025.

PROCEEDINGS OF THE COLLECTOR OF TIRUVANNAMALAI DISTRICT
PRESENT : Thiru. Anshul Mishra, I.A.S.,

Rc No.D3/30992/2011

Date: 07.12.2011

Sub: Tamil Nadu Public Licensing Act 1965 Inclusion of the name of Thiru. D. Govindan in the panel of private practicing Engineer under class IA (one A) / category in Tiruvannamalai District orders issued - Regarding.

Ref: 1 Thiru. G. Govindan Engineer G R. Associates
Tiruvannamalai petition Dated 16.07.2010

2 This office Lr.No.RC D3/ 30992/2010. Dated 22.10.2010 addressed to the Engineer - in - Chief- Chennai-5.

3. From the Engineer in Chief Engineer (General) Public works Department Lr. No. AEE/T1/AEIII/58052/2009. Dated;10.11.2011

ORDER:

1. In the reference 1st cited. Thiru. D. Govindan, S/o R. Dhandapani, Tiruvannamalai has submitted a petition requesting to include his name in the panel of private Engineer under class IA (one A) Category in Tiruvannamalai District

2) In the reference 2nd cited A proposal has been sent to the Engineer in Chief Engineer (General) Public works Department, Chennai recommending to include his name in the panel of private Engineers under class IA (one A) category to Tiruvannamalai district

3) In the reference 3rd cited the Engineer in chief Chennai has stated that the Board of Engineer meeting held on 28.10.2011 has approved and recommended the name of Thiru. D. Govindan S/o R. Dhandapani, Tiruvannamalai for inclusion registering in the panel of private Engineer under class IA (The Building works cost more than Rs 50.00 Lakhs) in Tiruvannamalai District.

4) Based on the recommendation of the Engineer in Chief Engineer, (General) Public works Department, Chennai, the name of Thiru. D. Govindan S/o R. Dhandapani is ordered to be included in the panel of private practicing Engineer under class IA (The Building works cost more than Rs. 50.00 Lakhs) in Tiruvannamalai.

5) All Revenue Divisional Officers and Tahsildars of Tiruvannamalai District are instructed to accept the public Building soundness certificates issued by Thiru. D. Govindan subject to conditions.

Sd/-Anshul Mishra
District Collector,
Tiruvannamalai

// By Order //


for Collector,
Tiruvannamalai.

To.

Thiru D. Govindan,
S/o R. Dhandapani,
No. 1168 -B, Thendral Nagar, Main Road,
Vengikal, Tiruvannamalai - 605 604

9752
18-12-11

Copy to. All Revenue Divisional Officer's all Tahsildars of Tiruvannamalai District

Copy to stock file.